<u>Listing of All Claims Including Current Amendments</u>

1. (currently amended) Image transmission system for rigid endoscopes and similar viewing tubes with a center rod lens and two outer rod lenses, which are symmetrical to one another with respect to a center plane of the image transmission system that is perpendicular to the optical axis of the image transmission system, wherein all lens elements consist in each case of optically homogeneous material,

the center rod lens consists of a rod lens main element and lens elements cemented to it, resulting in a biconvex connecting rod lens, and

the outer rod lenses are biconvex, wherein

all optically active surfaces are spherical,

the rod lenses are vertex-to-vertex adjacent to one another and
the center rod lens is essentially of the same length as, or longer than, the <u>length</u>
of each of the outer rod lenses.

2. (previously presented) Image transmission system for rigid endoscopes and similar viewing tubes according to claim 1, wherein

the outer rod lenses consist of rod lens main elements and lens elements cemented to them on the side turned inward, so that the result is biconvex connecting rod lenses

3. (previously presented) Image transmission system for rigid endoscopes and similar viewing tubes according to claim 1, wherein

the rod lens main element is a biconcave lens and the lens elements cemented to it are biconvex lenses.

4. (previously presented) Image transmission system for rigid endoscopes and similar viewing tubes according to claim 2, wherein

the rod lens main elements are convex lenses on the side turned outward and are concave lenses on the side turned inward, and

the elements cemented to them on the side turned inward are biconvex lenses.

5. (currently amended) Image transmission system for rigid endoscopes and similar viewing tubes according to claim 1, wherein

the rod lens main elements are <u>element is a</u> biconvex <u>lenses lens</u>, and the lens elements cemented to <u>them it</u> are meniscus elements.

6. (previously presented) Image transmission system for rigid endoscopes and similar viewing tubes according to claim 5, wherein

the meniscus elements are positive meniscus elements.

7. (previously presented) Image transmission system for rigid endoscopes and similar viewing tubes according to claim 5, wherein

the meniscus elements are negative meniscus elements.

8. (currently amended) Image transmission system for rigid endoscopes and similar viewing tubes according to claim 1, wherein

the length of the center rod lens essentially corresponds to the length of <u>each of</u> the outer rod lenses.

9. (currently amended) Image transmission system for rigid endoscopes and similar viewing tubes according to claim 1, wherein

the rod lens main elements element are symmetrical with respect to their its center plane that is perpendicular to the optical axis.

- 10. (cancelled).
- 11. (previously presented) Image transmission system for rigid endoscopes and similar viewing tubes according to claim 1, wherein

the center rod lens includes ends that are symmetrical with respect to a symmetry plane that runs through the center rod lens perpendicular to the optical axis.

12. (previously presented) Image transmission system for rigid endoscopes and similar viewing tubes according to claim1, wherein

the center connecting rod lens is symmetric with respect to a symmetry plane running through the center rod lens perpendicular to the optical axis.

13. (currently amended) Image transmission system for rigid endoscopes and similar viewing tubes according to claim 1, wherein

the lens elements cemented to the rod lens main elements element are symmetrical to one another with respect to a symmetry plane running through the center rod lens perpendicular to the optical axis.

14. (previously presented) Image transmission system for rigid endoscopes and similar viewing tubes according to claim 1, wherein

the rod lens main element of the center rod lens and the lens elements cemented to it configure the center rod lens as a cylinder.

15. (previously presented) Image transmission system for rigid endoscopes and similar viewing tubes according to claim 1, wherein

the rod lens main elements of the outer rod lenses and the lens elements cemented to them configure the outer rod lenses as a cylinder.

16. (previously presented) Image transmission system for rigid endoscopes and similar viewing tubes according to claim 1, wherein

no distancing tubes are used between the rod lenses.

17. (currently amended) Image transmission system for rigid endoscopes and similar

viewing tubes according to claim 1, wherein

each of the outer rod lenses are is of one piece.

18. (previously presented) Image transmission system for rigid endoscopes and similar

viewing tubes according to claim 1, wherein

the outer rod lenses are connecting rod lenses, which include rod lens main

elements and have lens elements cemented to them on the side turned inward, so that

the resulting connecting rod lenses are biconvex.

19. (previously presented) Image transmission system for rigid endoscopes and similar

viewing tubes according to claim 18, wherein

the outer rod lenses are connecting rod lenses, which include rod lens main

elements and lens elements cemented to them on the side turned outward, so that the

resulting connecting rod lenses are biconvex.

20. (previously presented) Image transmission system for rigid endoscopes and similar

viewing tubes according to claim 2, wherein

the center rod lens is in one piece.

Page 7 Serial No.

Serial No. 10/764,908

Response to Official Action

21. (previously presented) Image transmission system for rigid endoscopes and similar

viewing tubes according to claim 2, wherein

the center rod lens is a connecting rod lens, which has a rod lens main element

to which lens elements are cemented to its side turned outward, so that the resulting

connecting rod lens is biconvex.

22. (previously presented) Image transmission system for rigid endoscopes and similar

viewing tubes according to claim 2, wherein

one of more of the lens main elements can be equipped with a number of lens elements

cemented to it on the side turned outward or cemented to one another.